

Double Sided Information Sheet



Double Sided Specification

Overall Height:	1727mm
Seating Height:	450mm
Seating Depth:	300mm / 400mm
Length:	1000mm / 1200mm / 1500mm / 2000mm*

*2000mm benches have a middle support leg – see above picture

Material Specification



Radiused Slats - Ash

Seat slats are manufactured from 80mm x 25mm timber which have been sanded, sealed and polished with hardwearing lacquer



Finish

Express Range: Finished Powder Coated Grey Ral: 9006
Other colours are available – see options
Wet Areas – see options



Feet

Threaded End caps are used as standard to enable the bench to be moved without scratching the floor



Coat Hooks

Complete with Grey plastic coat hooks positioned at 150mm centres

1000mm = 10 hooks (5 per side)

1200mm = 12 hooks (6 per side)

1500mm = 16 hooks (8 per side)

2000mm = 22 hooks (11 per side)

Optional Extras




Floor Fixing Bracket

to enable the unit to be fixed to the floor
Can be used with or without the adjustable foot



Adjustable Feet

to accommodate sloping or uneven floors



Shoe Self

for off the floor storage



Hook Colours

Additional hook colours are available



Additional Finishes

Standard Range - Powder coated colours are available on request

Wet Areas

BZP undercoat to provide additional rust protection
For chlorinated areas, please ring and speak to the sales team