

## FIREPROOF SAFES

For protection against fire, Securikey's range of fireproof safes offer the best security in times of need.

### MINI VAULT S2 GOLD FR 3 ELECTRONIC

- £4,000 overnight cash cover (£40,000 valuables)
- Independently tested and certified to EN14450 S2
- Double walled construction with fire resistant infill to DIN 4102
- 4mm Solid steel outer body and 2mm inner body
- 8mm anti-bludgeon door fitted with advanced electronic lock
- Registration system to prevent lockout situation
- Chrome plated bolt cups
- Adjustable jewellery shelf included
- Motion sensitive Interior light included
- Suitable for rear or floor fixing – Bolts supplied
- Batteries, Installation and operating instructions included
- Colour – Metallic Dark Grey RAL7001



## ADDITIONAL INFORMATION

|                        |                                |
|------------------------|--------------------------------|
| <b>Weight</b>          | 62.000 kg                      |
| <b>Dimensions</b>      | 470 (H) x 435 (W) x 405 (D) mm |
| <b>Standard</b>        | Gold                           |
| <b>Cash Rating</b>     | £4,000                         |
| <b>Volume</b>          | 38 litres                      |
| <b>Shelves</b>         | 1                              |
| <b>Internal Height</b> | 350mm                          |
| <b>Internal Width</b>  | 360mm                          |
| <b>EAN</b>             | 5030282193690                  |
| <b>Internal Depth</b>  | 305mm                          |

MINI VAULT S2 GOLD FR 3 ELECTRONIC IMAGES



AiS Approved



Secured By Design



Motion Activated Magnetic Light



Mini Vault Bolts & Handle

MINI VAULT S2 GOLD FR 3 ELECTRONIC IMAGES



Mini Vault Hinge & Dog Bolt



Mini Vault Jewellery Shelf



Mini Vault 3 S2 Gold FR Electronic Locking



Mini Vault 3 S2 Gold FR Electronic Locking

MINI VAULT S2 GOLD FR 3 ELECTRONIC IMAGES



Mini Vault 3 S2 Gold FR Electronic Locking

Your Securikey Stockist

Total Locker Service  
01284 749211  
sales@totallocker.co.uk

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.

