# SHOCKPOOF lockers



Probe offer their high quality steel lockers with 10mm solid grade laminate overlay and inset doors (overlay pictured). For more about this amazing material visit trespa.com, formica.co.uk or arpaindustriale.com

















# VERLAY DOORS





#### **AVAILABLE IN 1, 2, 3 AND 4 TIER** Single and two tier doors subject to minimum quantity.



## **INSET** DOORS





## **NEW 180° OPENING HINGE**

This hinge offers unparalleled levels of access to each compartment making full use of clear entry.



**LAMINATE DOORS** 







### **STEEL BODY COLOUR**



STEEL SILVER BODY

#### **SOLID LAMINATE 10mm FIRE CLASSIFICATION**

Product has been tested for spread of flame across its surface and to classify the surface according to the test given in British Standard 476: Part 7: 1997. In accordance with the class definitions specified in the Standard, the test results show that the product tested has a Class One Surface Spread of Flame.

Other fire classifications are available on request.

#### STOCK DOOR COLOURS Single and two tier doors subject to minimum quantity.



## NON STOCK COLOURS Subject to minimum quantity of 15 doors. Hundreds of other colours available from alternative Laminate manufacturers.



Please note that due to printing restrictions colours represented may differ form original product. We recommend you request a colour swatch before ordering.



LOCK OPTIONS These locks are pictured on steel doors. Some locks differ slightly in appearance when fitted to Trespa® doors.

\*Included in locker price. Request lock type at time of ordering.



#### **PROBE CAM LOCK\***

Even the standard lock has a micro sprung 10 disc lock featuring a massive 3000 serial combinations - all exclusive to Probe. Two keys are included with each standard lock.





#### **RE-PROGRAMMABLE COMBINATION LOCK TYPE-E**

Re-programming using service key

Easy to use front facing dial 10,000 combinations. One Service Key required per installation (Service Key sold separately). Not recommended for multi user applications.



#### **HASP AND STAPLE\***

Attractive design allowing easy use of padlock fitting. Shank diameter maximum 7mm and minimum 5mm. Padlock sold separately.

#### **REPLACEMENT HASP & STAPLE**

This Hasp & Staple is available to purchase separately if you need to change your existing lock.



#### **RE-PROGRAMMABLE COMBINATION LOCK TYPE K-W**

Extremely tough and fits existing Probe metal or Trespa doors. Reprogrammable - easy operation and 10,000 possible combinations set and easily changed by users using Override Key for instant access and re setting new numbers, sold separately.





#### **RADIAL PIN LOCK - 10,000 COMBINATIONS**

This Radial Pin Lock is designed for greater levels of security. Two keys are included with each lock.





#### **NEW RE-PROGRAMMABLE COMBINATION LOCK**

**User Re-programmable** 

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past. Suitable for multi user applications. Master override key sold separately.





#### **DIGITAL COMBINATION LOCK 40,000 COMBINATIONS**

- O Emergency access using service key
- O Simple to program
- O Batteries last up to 50,000 operations
- O Single user supplied as standard
- O Multi user option available (specify when ordering)

### **O CAN BE USED HORIZONTALLY**

Subject to minimum order quantity. Specify when ordering. Card holder not included when ordered for horizontal use





#### BeCode Air+ **RFID Technology**

The BeCode Air+ only has to be 'shown the card' (or matching transponder) to be operated. No external programming devices needed. 10,000 closings with one battery possible. It doesn't get any simpler.





### **FUTURE PROOF FROM PROBE**

#### **NEW DUAL COIN/TOKEN RETURN/RETAIN**

These locks are available with coin denominations £/€ or tokens, for either return or retain. This NEW version will accept both the existing £1 and the new £1 coin when released in 2017.


DON'T GET LEFT BEHIND...

Images may differ from items supplied, functions will be equivalent. We reserve the right to alter the design and specification of any product on this sheet without prior consent.


## MEETS BS 4680:1996


14

# 1.1




Allow up to 2.5mm per locker for horizontal creep



































All sizes contained within this brochure are nominal. We reserve the right to alter design and specification of any product within this brochure without prior consent.



