

supershelf™

Shelving



Standard Shortspan Shelving Bays

Standard Longspan Shelving Bays

Garment Hanging Racks

Shoebox Storage

Tyre Racking

Mobile Shelving

Simply Super Shelving

Steel / Plastic Bin Kits

Workshop / Garage Shelving

Archive Storage

supershelf™



2



Supershelf shelves derive their strength from the closely ribbed design of the panels

Supershelf™ can be designed to suit your requirements

Should you require a larger or non-standard solution we can provide the expertise to survey, design, deliver and install quickly and efficiently to suit your requirements and timescales.

Supershelf™ is a competitively priced system that is designed to conform to current industry standards (SEMA)

Endlessly Versatile...

A wide variety of size options – Various widths and depths with heights up to five metres as standard. Frames can also be cut down to suit areas of restricted height.

Strength and durability – Galvanised steel construction makes Supershelf™ both incredibly strong but also built to last. All components are lightweight and manoeuvrable, yet strong and sturdy.

Easy assembly – Knock together, bolt free construction makes building and deconstructing bays quick, easy and hassle free.

Modular – Rows of shelving can always be extended and components added. Expand your storage as your business grows.

Adjustable – Shelves and some components can be adjusted on a 33mm pitch, allowing shelves to store objects of varying size without wasting space.

Floor and wall fixed – Supershelf™ is sturdy in its construction, but for added safety and peace of mind it can be fixed to the floor, wall or back to back with other bays of shelving.

Smooth Zinc Finish – Attractive and easy to clean. Suited to most environments and décor.

Additional accessories – A wide range of accessories available including plastic shelves, modular containers, steel storage bins, shelf dividers and label holders.


Available directly from stock



Supershelf™ is probably one of the most versatile shelving systems on the market, with its variety of interchangeable and multi-purpose components it can be adapted to suit an endless variety of applications including :




Shortspan and Longspan



Garment Hanging



Archive Storage




Boxed components and Shoebox shelving



Tyre Racking



Mobile Shelving



Simply Super



Workshop and Garage Shelving

We also offer a wide range of accessories for Supershelf™ including plastic shelves, steel storage bins, bin fronts, shelf dividers and label holders



SUPERSHELF SHORTSPAN SHELVING BAYS - 2000mm high

Max. Bay Weight Loading 1100kg

Shortspan 2000mm high x 900mm wide

4 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01000	01-01005	200
400	01-01001	01-01006	200
500	01-01002	01-01007	180
600	01-01003	01-01008	150
800	01-01004	01-01009	200

Shortspan 2000mm high x 1200mm wide

4 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01105	01-01110	150
400	01-01106	01-01111	150
500	01-01107	01-01112	150
600	01-01108	01-01113	150
800	01-01109	01-01114	150

Shortspan 2000mm high x 900mm wide

6 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01020	01-01025	180
400	01-01021	01-01026	180
500	01-01022	01-01027	180
600	01-01023	01-01028	150
800	01-01024	01-01029	180

Shortspan 2000mm high x 1200mm wide

6 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01125	01-01130	150
400	01-01126	01-01131	150
500	01-01127	01-01132	150
600	01-01128	01-01133	150
800	01-01129	01-01134	150

...Supershelf™ Shortspan

Supershelf™ Shortspan shelving bays


A zinc finish steel shelving system that is widely used in retail, food manufacturing, wholesale and a wide range of other industrial or commercial applications.

2000mm and 2500mm high shortspan options in either 900mm or 1200mm wide and a choice of 5 depths.

- Shelves easily adjustable on 33mm pitch
- Bolt Free and easy to build – just slots together
- Fully assembled upright frames
- Shelves lightweight yet strong
- Smooth Zinc finish – attractive and easy to clean
- Starter and Add on bays with either 4 or 6 shelf levels

**AVAILABLE
FROM STOCK**

Supershelf™ is also extremely versatile, in addition to the standard flat shelving featured here it can be easily modified to cater for a variety of applications including:



SUPERSHELF SHORTSPAN SHELVING BAYS - 2500mm high

Max. Bay Weight Loading 1100kg

Shortspan 2500mm tall x 900mm wide

4 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01055	01-01060	200
400	01-01056	01-01061	200
500	01-01057	01-01062	180
600	01-01058	01-01063	150
800	01-01059	01-01064	200

Shortspan 2500mm tall x 900mm wide

6 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01075	01-01080	200
400	01-01076	01-01081	200
500	01-01077	01-01082	180
600	01-01078	01-01083	150
800	01-01079	01-01084	200

Shortspan 2500mm high x 1200mm wide

4 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01160	01-01165	150
400	01-01161	01-01166	150
500	01-01162	01-01167	150
600	01-01163	01-01168	150
800	01-01164	01-01169	150

Shortspan 2500mm high x 1200mm wide

6 levels

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01180	01-01185	150
400	01-01181	01-01186	150
500	01-01182	01-01187	150
600	01-01183	01-01188	150
800	01-01184	01-01189	150

...Supershelf™ Longspan

Supershelf™ Longspan shelving bays


Longspan shelving is ideal for bulky and longer length items or for longer term storage, ie Archiving.

2000mm and 2500mm high longspan options in either 1500mm or 1800mm wide and a choice of 5 depths.

Heavy duty shelf levels comprise of a deeper beam and more robust shelves to accommodate loadings of 500 kg per level.

- Shelves easily adjustable on 33mm pitch
- Bolt Free and easy to build – just slots together
- Fully assembled upright frames
- Shelves lightweight yet strong
- Smooth Zinc finish – attractive and easy to clean
- Starter and Add on bays with 4 shelf levels
- Store up to 500kg per level on heavy duty shelving bays

Supershelf™ is also extremely versatile, in addition to the standard flat shelving featured here it can be easily modified to cater for a variety of applications including:



SUPERSHELF LONGSPAN SHELVING BAYS - 2000 and 2500mm high Max. Bay Weight Loading 1100kg (2000mm High), 1500kg (2500mm High)

Longspan 2000mm high x 1500mm wide **4 levels**

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01210	01-01215	275
400	01-01211	01-01216	275
500	01-01212	01-01217	275
600	01-01213	01-01218	260
800	01-01214	01-01219	275

Longspan 2500mm high x 1500mm wide **4 levels**

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01245	01-01250	350
400	01-01246	01-01251	350
500	01-01247	01-01252	315
600	01-01248	01-01253	260
800	01-01249	01-01254	350

Longspan 2000mm high x 1800mm wide **4 levels**

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01275	01-01279	275
400	01-01276	01-01280	275
500	01-01277	01-01281	275
600	01-01278	01-01282	275

Longspan 2500mm high x 1800mm wide **4 levels**

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
320	01-01303	01-01307	300
400	01-01304	01-01308	300
500	01-01305	01-01309	300
600	01-01306	01-01310	300

SUPERSHELF HEAVY DUTY LONGSPAN SHELVING BAYS - 2000 and 2500mm high Max. Bay Weight Loading 2000kg

H.Duty Longspan 2000mm high x 1800mm wide **4 levels**

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
500	01-01327	01-01329	500
600	01-01328	01-01330	500


H.Duty Longspan 2500mm high x 1800mm wide **4 levels**

Depth	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
500	01-01337	01-01339	500
600	01-01338	01-01340	500

AVAILABLE FROM STOCK

Add on Bay

Starter Bay



SUPERSHELF GARMENT HANGING BAYS - SINGLE SIDED

Single Sided Garment Hanging Rack with 400mm deep framework

Single sided racks allow for picking and placing from one side of the rack with beams placed one side of each level. Ideal for use against walls.

Height	Hanging Levels	Starter Part No	Add on Part No	Max. Beam Loading (kg)
--------	----------------	-----------------	----------------	------------------------

Single Sided Bays **900mm wide x 400mm deep**

2000	2	01-01401	01-01404	90
2500	3	01-01402	01-01405	90
3000	3	01-01403	01-01406	90

Single Sided Bays **1200mm wide x 400mm deep**

2000	2	01-01407	01-01410	90
2500	3	01-01408	01-01411	90
3000	3	01-01409	01-01412	90



Single Sided Ideal for use against walls

SUPERSHELF GARMENT HANGING BAYS - DOUBLE SIDED

Double Sided Garment Hanging Rack with 600mm deep framework

Double Sided Garment Racks allow for picking and placing from both sides of the rack with beams placed either side of each level.

Ideal for use in open areas.

Height	Hanging Levels	Starter Part No	Add on Part No	Max. Beam Loading (kg)
--------	----------------	-----------------	----------------	------------------------

Double Sided Bays **900mm wide x 600mm deep**

2000	2	01-01345	01-01348	90
2500	3	01-01346	01-01349	90
3000	3	01-01347	01-01350	90

Double Sided Bays **1200mm wide x 600mm deep**

2000	2	01-01351	01-01354	90
2500	3	01-01352	01-01355	90
3000	3	01-01353	01-01356	90



Double Sided to maximize hanging space in open areas

SUPERSHELF GARMENT HANGING BAYS - CENTRAL HANGING

Central Position Garment Hanging Rack with 500mm deep framework

Central Garment Hanging utilises a central oval beam containing the garments within the confines of the framework where racks are placed against a wall or in an open area.

Height	Hanging Levels	Starter Part No	Add on Part No	Max. Beam Loading (kg)
--------	----------------	-----------------	----------------	------------------------

Central Hanging Bays **900mm wide x 500mm deep**

2000	2	01-01357	01-01360	90
2500	3	01-01358	01-01361	90
3000	3	01-01359	01-01362	90

Central Hanging Bays **1200mm wide x 500mm deep**

2000	2	01-01363	01-01366	90
2500	3	01-01364	01-01367	90
3000	3	01-01365	01-01368	90



Central Hanging allows storage of garments within the perimeter of the shelving framework

...Supershelf™ Garment Hanging

Supershelf™ Central, Single and Double Sided Garment Hanging Bays

Supershelf™ Garment Hanging is ideal for any garment hanging requirements in retail stockrooms or for display.

- Single, Double Sided or Central Hanging options
- 2 or 3 Tier Hanging Levels (2000, 2500 or 3000mm high)
- 900mm or 1200mm wide bays
- Starter and Add on bays
- Can support loads of up to 90kg on 1200mm wide span
- Oval shaped beam compatible with most types of hangers

**AVAILABLE
FROM STOCK**



All hanging garment racks can be fitted with normal flat shelves and bin shelves to provide a comprehensive clothes storage system

...Supershelf™ Shoebox Storage

Ideal for stockrooms and back of store

These shelving bays are widely used in retail for storage of varying sizes of shoe boxes. The most popular option of 2500mm high x 600mm deep is featured here. We can, however, provide a wide range of heights and depths from stock to suit any requirements. The four different bay widths featured here all suit shoe box storage.

The ideal method is to choose the longest bay length possible for your stockroom and make up the leftover space with the shorter bays.

- Dims. 2500mm high x 600mm deep
- 4 popular widths - 900, 1200, 1500 and 1800mm
- 5 shelf levels including top and bottom
- Shelves are adjustable up and down in 33mm increments
- Easy to clean
- Easy to build



SUPERSHELF SHOEBOX SHELVING

Max. Bay Weight Loading 1500kg

2500mm high x 600mm deep

5 levels

Bay width mm	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
900	01-01379	01-01383	150
1200	01-01380	01-01384	150
1500	01-01381	01-01385	260
1800	01-01382	01-01386	300

**AVAILABLE
FROM STOCK**

...Supershelf™ Tyre Racking

Tyre Storage for the Motor Trade

This simple to install Tyre Racking is assembled without any nuts and bolts and requires no special tools. The tubular beams provide the perfect support for car tyres.

The tyre shelving is hugely popular with tyre distributors and tyre dealers throughout Europe, as it allows tyres to be stored safely and efficiently.

Options up to **5m high** available from stock.

- 3, 4 and 5 tyre storage level options as standard
- Bay dims. 1200mm wide x 400mm deep x 3 height options
- Starter and Add on Bays
- Takes minutes to install

AVAILABLE FROM STOCK

Up to 5m high racks supplied from stock

Maximum loading per beam level 76kg

Strong tubular beams allow tyres to roll easily on and off the rack



SUPERSHELF TYRE RACKING

1200mm wide x 400mm deep

Tyre Storage Height	Levels	Starter Part No	Max. Bay Loading	Add on Part No	Max. Bay Loading
2000	3	01-01395	1100kg	01-01398	1100kg
2500	4	01-01396	1500kg	01-01399	1500kg
3000	5	01-01397	1500kg	01-01400	1500kg

...Supershelf™ Mobile Shelving



One aisle serves all the racks

High Density / Space Saving Storage

Supershelf™ mobile shelving combines the strength and durability of Supershelf™ with the cost and space saving efficiency of mobile shelving. The system gives the opportunity to more than double the shelving capacity of any given area.

It is especially popular in environments where space is at a premium and rent is high.

Typical areas of use:

- Archiving and data storage
- Hospitals for medical records
- Doctors surgeries/clinics for patient records
- Retail sector for shoebox, garment hanging and other high density storage
- Universities and College libraries

The shelving racks are mounted on mobile bases that are guided along tracks fixed to the floor. The mobile bases can be moved using either a manually geared chain operation, or in case of heavier loads a powered system.


Advantages of mobile shelving:

- Maximises shelving capacity
- Reduces the number of required aisles
- Benefits from the strength and versatility of Supershelf™
- Operates silently and smoothly.

Traditional shelving systems require a clear aisle between every row of shelving. Mobile shelving reduces the numbers of aisles required, thus increasing the available space for shelving. By allowing the rows of shelving to independently move, only one 'moving' aisle is required.




Chain operated turning wheel makes moving bays easy



Static Shelving

Fixed Aisle

Conventional static shelving plan view



Mobile Shelving

Moveable Aisle

Mobile shelving plan view demonstrating greatly increased storage

...Supershelf™ Simply Super Shelving

Workshop or DIY Shelving Zinc or Plastic Shelves

Simply Super shelving packs are designed for both commercial and domestic use. Simply Super is an adaptation of the highly successful Supershelf™ shelving system which is widely used in commercial and industrial applications.

Unlike most shelving packs for sale in DIY outlets, this system is bolt free, easy to build, and easily adjustable. It has all the benefits of industrial shelving at domestic prices.

- Easy to build with clear instructions
- Zinc Galvanised uprights - ready assembled
- Zinc Galvanised beam levels
- Bay dims. 1576mm high x 1000mm wide x 400mm deep
- Complete with 4 shelf levels (including top and bottom)
- Starter and extension bays available

Zinc finish shelves - for heavier loading applications and ideal for a range of applications

The smooth, durable zinc galvanised finish is ideal for storage indoors or can be utilised in outdoor storage areas for example - garages, workshops or greenhouses

AVAILABLE FROM STOCK



Zinc Shelves

Each shelf level will accept 170kg UDL



Plastic Shelves

Each shelf level will accept 90kg UDL

Plastic perforated shelves - ideal for washdown areas or for lighter loading applications

SUPERSHELF SIMPLY SUPER SHELVING

1576mm high x 1000mm wide x 400mm deep

Shelf Material	Max. Shelf loading (kg)	Starter Part No	Add on Part No
Zinc	170	01-01387	01-01388
Yellow Plastic	90	01-01389	01-01390
Blue Plastic	90	01-01391	01-01392

...Supershelf™ Steel Bin Shelf Kits

Heavy duty bin shelves – a great alternative to flat shelves.

Standard Supershelf with the addition of heavy duty bin levels for storing loose items and components.

Choose from complete bays of bin shelves or a combination of bin shelves and flat shelves.

- All bays 2000mm high with a choice of 2 widths and 2 depths
- Bin Shelf levels can accommodate up to 180kg
- Shelves/levels adjustable on a 33mm pitch
- Bolt free and easy to clean
- Max. Bay weight loading 1100kg

BIN SHELF BAYS

5 Bin Levels

2000mm high

W x D (mm)	Starter Part No	Add on Part No	Max. Shelf Loading (kg)
900 x 320	01-01432	01-01436	180
900 x 400	01-01433	01-01437	180
1200 x 320	01-01434	01-01438	150
1200 x 400	01-01435	01-01439	150

BIN/FLAT SHELF BAYS

3 Bin + 2 Shelf Levels*

2000mm high

*Not including top shelf level

900 x 320	01-01440	01-01444	180
900 x 400	01-01441	01-01445	180
1200 x 320	01-01442	01-01446	150
1200 x 400	01-01443	01-01447	150

Bin Shelf Bays

Bin/Flat Shelf Bay



...Supershelf™ with Plastic Bin Kits

High density small parts storage in 5 useful kits

Combining the strength and adjustability of our best selling Supershelf™ with the high density storage capabilities of plastic Vipa bins. Designed for storing, organising and accessing small to medium size parts/components.

- 5 bay options available as standard
- Removable bins
- Colour code your stock with different coloured bins
- Bolt free and very easy to build – no fixings required
- All bays 2000mm high x 400mm deep
- Max. Bay weight loading 1100kg

Ideal for garage and workshop areas, the Shelving and Vipa Bin Kits will help keep any area tidy and organised.

KIT 2 01-01428

Bins: 32 x size 4
Shelf levels: 9
Shelf weight loading (kg): 120

KIT 3 01-01429

Bins: 16 no size 4D
Shelf levels: 9
Shelf weight loading (kg): 120

KIT 4 01-01430

Bins: 8 x size 4 & 12 x size 4D
Shelf levels: 5
Shelf weight loading (kg): 200


KIT 5 01-01431

Bins: 16 x size 4 & 8 x size 4D
Shelf levels: 5
Shelf weight loading (kg): 200

KIT 1 01-01427

Bins: 20 x size 4 & 6 x size 4D
Shelf levels: 9
Shelf weight loading (kg): 120

2 bin sizes




Size 4
(163 h x 198 w x 336mm d)



Size 4D (166 h x 405 w x 338mm d)

AVAILABLE FROM STOCK



...Supershelf™ Workshop / Garage Shelving

The workshop shelving kits combine the strength of Supershelf™ shelving, with the convenience and accessibility of shelf trays and plastic Vipa bins. The kit is designed to store and organise small, medium and large components in one place.

- Ideal for storage and separation of components
- 2 bay heights available – 1200mm or 1600mm
- Available in 1, 2 and 3 bay options
- Easy to build and adjust – bolt free construction
- Smooth zinc finish – attractive and easy to clean
- Flexible, safe and extremely durable

AVAILABLE FROM STOCK



1600mm high

1200mm high



SUPERSHELF WORKSHOP SHELIVING 900MM WIDE BAYS **Max. Bay Weight Loading 1100kg**

Single bay dims W x D (mm)	No. of bays	Part No	O/all dims. H x W X D	No of levels	Shelf Trays	Plastic Bins	Max. Shelf Loadings (kg)
1200mm high bays							
900 x 320	1	01-01424	1200 x 1010 x 330	3	3	4	200
900 x 320	2	01-01425	1200 x 1920 x 330	3	6	8	200
900 x 320	3	01-01426	1200 x 2830 x 330	3	9	12	200
1600mm high bays							
900 x 400	1	01-01421	1600 x 1010 x 410	4	3	4	200
900 x 400	2	01-01422	1600 x 1920 x 410	4	6	8	200
900 x 400	3	01-01423	1600 x 2830 x 410	4	9	12	200

...Supershelf™ Workshop / Garage Shelving

Garage / Workshop Triple Bay

This superb garage shelving kit has been designed to fit in standard single or double garages and provides a safe storage system for tools, cleaning materials, screws, fixings and all other typical garage or workshop components. This kit is delivered to your door so there is no need to carry heavy and awkward items back from the DIY store. Strong and robust with modular bin shelves for storage of loose items. Easy build with full instructions.

- 2 options - with or without plastic containers
- 9 flat zinc adjustable shelves
- 6 modular zinc bin shelf levels with dividers
- 20 plastic containers (size 4)
- Fully adjustable
- Overall dims. 1972mm h x 2830mm w x 410mm deep
- Free Standing

Loading - 180kg in modular container and 200kg on a flat shelf (UDL)



SUPERSHELF WORKSHOP TRIPLE BAY

With plastic containers	01-01394
Without plastic containers	01-01393

...Supershelf™ Archive Storage

Archive Storage Racks – supplied with or without Archive boxes

An attractive and robust range of standard Archive Shelving to accommodate from 30 to 60 Archive boxes per bay.

Ideally suited to the size and weight of the standard archive box. medical records, legal files, accounts and all documents that need to be retained for up to 7 years, can be efficiently stored on this system.

- Starter and add bays
- Dims. 1877mm wide x 500mm deep
- Available in a range of heights to cater from 30 to 60 Archive boxes
- Options with and without Archive boxes

60 Box Bay 



**AVAILABLE
FROM STOCK**

SUPERSHELF ARCHIVE STORAGE - WITH OR WITHOUT ARCHIVE BOXES

Maximum bay weight loading 2000 kg

Without Boxes

1800mm wide x 500mm deep

Height of top shelf mm	Box Capacity	Height to top of box mm	Starter Part No 	Add on Part No 	Max. Shelf Loading (kg)
1374	30	1914	01-01371	01-01375	300
1972	40	2512	01-01372	01-01376	300
2628	50	3168	01-01373	01-01377	300
3255	60	3795	01-01374	01-01378	300

With Triple Walled Box

1800mm wide x 500mm deep

Height of top shelf mm	Box Capacity	Height to top of box mm	Starter Part No 	Add on Part No 	Max. Shelf Loading (kg)
1374	30	1914	01-01413	01-01417	300
1972	40	2512	01-01414	01-01418	300
2628	50	3168	01-01415	01-01419	300
3255	60	3795	01-01416	01-01420	300

Contact your local distributor:

Archive Box -
Triple walled for
added strength



Box dimensions
270mm h x 350mm w x 430mm deep 